


Dog Kennel With Roof

Assembly Instruction

1.2x1.2x1.5m



Note:

Please wear work gloves to assemble this item.

More partners to complete this item may be more efficient.



Tools:



x1



x1

Part List



1 x3 pcs 1200mm



2 x6 pcs 1145mm (one side hole only)



3 x2 pcs 1145mm (half pipe with hole only)




4 x3 pcs 1145mm (two sides hole)




6 x1 pcs 550mm



7 x1 pcs 1200mm



D1 x1 pcs 1015mm



D2 x1 pcs 1015mm



D3 x2 pcs 490mm




D4 x1 pcs 490mm



D5 x1 pcs 1200mm



9 x2 pcs



10 x2 pcs




A x38 pcs 1090mm




B x5 pcs 1014mm



K x2pcs



D x6 pcs



M8x60mm

E x35 pcs



F x1 pcs Roof Cover




G x8 pcs

Step 1

Install the base and column.


Insert the D5 tube first, with the lock hole facing outwards, then install the other NO.1 tubes, which are inserted in the same direction as the D5 tube.

Note: The thin end faces upwards





Note: The NO.3 tube with half pre-drilled holes.

***Note: Please attach the NO.3 tube first, and the NO.3 tube must be under NO.2 tube as bellow.**



Step 2





Install the middle cross bars.



Step 3



Install facade tubes.

Install the D1 and NO.6 tubes, fasten the pipes with screw E.




Step 4

Insert all the circular tube "A" as a grid.





Step 5

Door assemble and fixing.





Full door view






Step 6

Install the top beam tubes.




Step 7


Insert tubes NO.9 and NO.10 into the corresponding standing tubes firstly, then connect the NO.9 and NO.10 tubes in the middle.



Note: Insert the plastic tube plugs "D" at both ends of the tube.




Note: Place tube NO.7 under tube NO.9, and fix them with screw E and nut K.



Step 8

Cover the roof.



Fix the cover to the frame with G.

